

BACK-TO-BACK BAR




The Back-to-Back Bar is an innovative tying technique that lends itself to a variety of other ties, making it a slick way to expand the look of multiple previously established ties. Simply put, nearly every tie I've ever shown can be "back-to-backed".

Cord Used: Two 6 Ft. Cords (3.5 In. Key Fob)


Knot Components: Back-to-Back + Solomon Bar




1. With the first cord, draw out a bight the length of the desired fob plus (+) 1 inch.




2. Hook the right running end left, over the vertical cords.




3. Drop the left running end over the cord beneath it.



4. Then hook it right and through the back of the right crook.




5. Take the tips of the second cord in hand,...




6. ...and lace them through the back of the top loops.

PARACORD FUSION TIES (Volume I) — SPECIAL PREVIEW!



- 7.** Stop lacing when the middle of the second cord is reached. Tighten firmly.




- 8.** Hook the right running end of the laced cord left, over the vertical cords.



- 9.** Drop the left running end over the cord beneath it (same color).



- 10.** Then hook it right and through the back of the right crook. Tighten firmly.



- 11.** Hook the right running end of the first cord left, under the vertical cords.



- 12.** Drop the left running end under the cord beneath it (same color).




- 13.** Then hook it right and through the front of the right crook. Tighten firmly.



- 14.** Hook the right running end of the laced cord left, under the vertical cords.

PARACORD FUSION TIES (Volume I) — SPECIAL PREVIEW!



- 15.** Drop the left running end under the cord beneath it (same color).




- 16.** Then hook it right and through the front of the right crook. Tighten firmly.



- 17.** Hook the right running end of the first cord left, over the vertical cords.




- 18.** Drop the left running end over the cord beneath it (same color).



- 19.** Then hook it right and through the back of the right crook. Tighten firmly.



- 20.** Repeat Steps 8 through 19 until desired length is achieved.



- 21.** To finish the fob, carefully snip and singe the horizontal ends.



- 22.** Back-to-Back Bar Fob—back side.